

## Vision E - S Plus

The satellite unit for Vision vending machines, Vision E-S Plus has a big elevator for product delivery allowing to place on sale big size products. Bread and dairy products, tools, big coffee bags, electronic gadgets, washing powder&hellip;.

the product delivery system of Vision machines, adjustable to any package shape, combined to this new delivery elevator for big products, it occupies the whole cabinet width, opens a new world of possibilities for products which previously didn't have a place on the vending channel, remarkable is as well the possibility to include a cooling unit and this way maintain on perfect conditions refrigerated products.



### Technical characteristics

- Programmable temperature from 2 °C to 12° C
- Capacity of up to 8 fully adjustable trays and up to 10 channels each.
- FIFO system used to deliver products.
- Vend detection by photocells.
- Leds lightening system with on-off programming.
- Transparent area of 1169 x 714 mm.
- Auto - self diagnostic control system.
- Health timer that inhibits vends of out - of -date products.
- Flexible configuration. The easyFlex system allows the fast modification of the width and depth of the channel. No additional spare parts are needed to create a new configuration
- Programmable torque and speed of the motors.
- Power Supply: 220-240 VAC (Optional 110 V.)
- Maximum consumption 650w

### Dimensions and weight

- Dimensions: 1825 x 800 x 975 mm (If the machines has a cooling unit the depth will be 1010mm)
- Weight: 325 Kg.

### Structure

- Robust construction with an anti-corrosive and antioxidation coating material
- Security lock with 3 locking points
- Injected foam on all the cabinet, assures the best refrigeration using lower power consumption by the cooling unit.

### Cash-credit management

- On the main vending machine, models Vision or Coffeemar

## Programming and management

- On the main vending machine, models Vision or Coffeemar.

## Options

- With or without cooling unit.
- Aside payments unit.





